



## ACTIVE INGREDIENTS

Copoly-{{(3-carboxypropionamide) (2-(carboxymethyl acetamide))}.....47.5%  
*as potassium salt*

**NET CONTENTS:** \_\_\_\_\_ **GALLONS**      **LOT #:** \_\_\_\_\_

**WEIGHT: 10.8 lbs/gal**

**FILL DATE:** \_\_\_\_\_



# GENERAL USE GUIDE

**Magnet** is designed for use on a wide range of agricultural and horticultural crops, including, field crops, forages, small grains, tree fruits, vine crops, nut crops and vegetables. Rate is dependent on crop, method of application and diagnosed soil fertility problems. Check with your local agronomist for a specific recommendation on your crop.

<p><b>Vegetable Crops</b> (including artichokes, beans, brassica vegetables, bulb vegetables, carrots, celery, cole crops, cucumbers, leafy greens, legume vegetables, lettuce, melons, onions, peas, peppers, petiole vegetables, potatoes, root and tuber vegetables, spinach, sweet corn, tomatoes)</p>	<p>Apply 16–64 oz per acre when applying fertilizer either in furrow during time of planting, through drip irrigation, overhead irrigation or when applying nutrition in a foliar application.</p>
<p><b>Field Crops</b> (including alfalfa, cotton, corn, dry beans, forage grasses, hemp, herbs and spices, oil seed, rice, safflower, sorghum, soybeans, sugar cane, sugar beets, and sunflowers)</p>	<p>Apply 16–64 oz per acre when applying fertilizer either in furrow during time of planting, through drip irrigation, overhead irrigation or when applying nutrition in a foliar application.</p>
<p><b>Berries, Trees &amp; Vine Crops</b> (including citrus, date palm, nuts, pome fruits, stone fruits, blackberries, cranberries, grapes, raspberries, tropical/subtropical fruits)</p>	<p>Apply 32–128 oz per acre via irrigation during a fertilizer application (liquid or granular). Multiple applications of 32 oz can be made for a total of 64–128 oz per acre.</p>
<p><b>Strawberries</b></p>	<p>Apply 32 oz per acre in furrow at planting and 32 oz per acre at first bloom. Depending on the variety, successive applications of 32 oz per acre can be applied every 6 weeks throughout the plant's life cycle.</p>
<p><b>Sod Farms</b></p>	<p>Apply 16–64 oz per acre when applying fertilizer—either as a preplant or after the sod is established.</p>
<p><b>Nursery/Greenhouse Crops</b></p>	<p>Apply a constant feed in order to deliver 25–50 ppm of polymer in a continuous feed irrigation system. If only feeding once a week, apply 100–200 ppm.</p>
<p><b>Granular Fertilizer</b></p>	<p>Apply up to 3 quarts per ton. Fertilizer blend should not contain more than 40% urea. If blends contain more than 40% urea, drying amendments may be needed.</p>

Compatible with most pesticides and fertilizers. A compatibility test is recommended if the desired combination has not been previously used. Add pesticide after all of the water, Magnet and fertilizer have been added. Do not mix with acid solutions below pH 4.

**Please obtain a Material Safety Data Sheet for more information.**

To the best of NanoChem Solutions Inc's ("NCS") knowledge and belief the information contained herein is accurate and reliable as of the date compiled. However, NCS makes no representation, warranty or guarantee as to the information's accuracy, reliability, completeness or timeliness. It is the user's responsibility to determine the suitability and completeness of such information for the user's own particular use or purposes. NCS does not accept any liability for any loss or damage that may occur from any use of this information.

**CAUTION**

KEEP OUT OF REACH OF CHILDREN

**24 Hour Emergency Numbers**

Chemtrec®: 1.800.424.9300 (U.S.A.) | 202.483.7616 (INTL., COLLECT)